

Dedicated to Revolutionizing
the Power Chair Experience

QUANTUM[®]
iLevel[®]
power chairs



quantumrehab.com
lifeatilevel.com



WELCOME TO QUANTUM®

Quantum Rehab® was born out of the desire to delight customers with the most advanced, consumer-inspired complex rehab power wheelchairs and related technologies possible.

Clinically-focused and consumer-inspired, Quantum® products are engineered and manufactured to meet the widest range of complex rehab needs with functional, durable, stylized, high-performance designs to increase daily functionality and quality of life. At Quantum, consumer needs and wishes are the driving force.

We're dedicated to not just meeting medical and clinical needs, but also quality-of-life needs. From the most advanced power seating for pressure management to USB ports, Bluetooth® and fender lights, no consumer need is overlooked.

Headquartered in Duryea, Pennsylvania, Quantum also has operations in Australia, Canada, China, Italy, France, Germany, the Netherlands, New Zealand, and the United Kingdom.



quantumrehab.com

lifeatilevel.com




QUANTUM®
#1 FOR REHAB POWER



"COOKING IS SO MUCH EASIER NOW THAT I CAN REACH THINGS. I CAN'T IMAGINE MY LIFE WITHOUT iLEVEL."

STEPHANIE WOODWARD
ROCHESTER, NY

REAL PEOPLE
lifeatilevel.com
REAL EXPERIENCES



Read consumers' stories or share your own.

iLEVEL®

POWER SEAT ELEVATION

Standing Height + Speed + Stability = Authentic iLevel (like no other)

iLevel® power seat elevation technology features a revolutionary new power chair design for a better experience. iLevel improves daily functionality and quality of life by allowing operation of the power chair with the seat elevated while at walking speed.

FEATURES

- 12" of power adjustable seat height while at walking speed; maximum of 10" height on the Q6 Edge® HD
- iLevel's patented Extra Stability Technology® enhances safety for transfers, reach, and numerous other activities of daily living
- Retrofittable on the Edge 3 Stretto®, Edge® 3 and Q6 Edge® 2.0
- Front and rear LED fender lights come standard with iLevel®



Safer transfers



Improved reach



Social interaction at iLevel®





NARROWEST POWER
BASE IN AMERICA AT
20.47"
WIDTH WITH 12.5"
DRIVE WHEELS



"TIGHT ROOMS, NARROW DOORWAYS, OUT-
OF-REACH CABINETS AND VAN RAMPS...
NOW I CAN GO WHERE I WANT TO GO, ALL
BECAUSE OF THE STRETTO!"

BRYSON FOSTER
CONCORD, NC



New sleek back design

Q-Logic 3 Advanced
Drive Controls with
Bluetooth® and USB
charger

Stealth Products® cushion
featuring exclusive Coolcore®
technology

Front and rear LED
fender lights

Optional 12" iLevel® power
seat elevation at 3.5 mph

Toolless removal of
rear shroud with battery
access door

Independent SRS
(Smooth Ride
Suspension)



Fun Fact...

Stretto is the Italian word for *narrow*.

EDGE 3 STRETTO®

MID-WHEEL DRIVE

The Edge 3 Stretto® is the narrowest, most maneuverable power base in America! In addition to its narrow width, it is equipped with independent SRS (Smooth Ride Suspension), making it ideal for children, teenagers and small adults. The Stretto is available with 12.5" or 14" drive wheels and optional 12" of iLevel® power adjustable seat height.

SPECS

MAXIMUM SPEED: 6.25 mph (3.5 mph when elevated with iLevel®)

WEIGHT CAPACITY: 300 lbs.

TURNING RADIUS: 21"

POWER SEAT ELEVATION: Optional 12" iLevel

COLORS

* See website for a complete list of color options.



SUGAR PLUM

CHERRY BOMB

BLUE JEAN

LEMON CRUSH

RASPBERRY BERET


EVOLUTION ORANGE

GREEN MACHINE

Independent SRS (Smooth Ride Suspension)

The Stretto is the ideal
pediatric power chair solution

Toolless access
to electronics





"THE EDGE 3 WITH iLEVEL HAS RESTORED MY INDEPENDENCE AT BOTH WORK AND HOME. iLEVEL HAS ALLOWED ME TO GET MORE INVOLVED AND START A DIALOGUE WITH PEOPLE, SOMETHING I WOULDN'T HAVE DONE BEFORE."

MERLISHA HENDERSON
PHOENIX, AZ

PROUDLY MADE IN AMERICA
OF FOREIGN AND DOMESTIC PARTS

**QUANTUM EXPERIENCES
PROUDLY MADE IN AMERICA**

As a global innovator, we are creating a product that offers confidence and stability elevated at the speed of life. Our state-of-the-art facility has a robust team of experienced technicians who custom build each Edge 3 specifically to the individual consumer's needs.

Optional 12" iLevel® power seat elevation at 4.5 mph

Featuring Extra Stability Technology® for safer transfers, reach and other activities of daily living

Q-Logic 3 Advanced Drive Controls with Bluetooth®

Stealth Products® cushion featuring exclusive Coolcore® technology

Upgraded SRS (Smooth Ride Suspension)



EDGE® 3

MID-WHEEL DRIVE

The Edge® 3 offers upgraded SRS (Smooth Ride Suspension), which provides a smooth, comfortable ride and advanced stability. Optional iLevel® is available at 4.5 mph with up to 12" of power adjustable seat height.

SPECS

MAXIMUM SPEED: 7 mph with optional 4-pole motors (4.5 mph when elevated with iLevel®)

WEIGHT CAPACITY: 300 lbs. (See Q6 Edge® HD for increased capacity)

TURNING RADIUS: 20.5"

POWER SEAT ELEVATION: Optional 12" iLevel

COLORS

* See website for a complete list of color options.



GREEN MACHINE

CHERRY BOMB

BLUE JEAN

LEMON CRUSH

RASPBERRY BERET

EVOLUTION ORANGE

SUGAR PLUM

USB charger (standard)

Front and rear LED fender lights for seeing and being seen (standard)

Drive wheel color accents (standard)



QUANTUM®
4FRONT®



"I LOVE THE 4FRONT! THE SUSPENSION IS THE BEST I'VE EXPERIENCED."

CHRISTIAN BUDNEY
SCRANTON, PA

20 contemporary colors to choose from, including hydrographics

(shown in *Electric Blue*)

Optional 10" power adjustable safe seat elevation at 3.2 mph

CASE
(Caster Angle Sensor Encoder) technology for unmatched driving performance

Q-Logic 3 Advanced Drive Controls with Bluetooth®

Stealth Products® cushion featuring exclusive Coolcore® technology

Front and rear LED fender lights for seeing and being seen (standard)



SRS (Smooth Ride Suspension)

AVAILABLE WITH **10"**
SAFE SEAT ELEVATION

4FRONT®

FRONT-WHEEL DRIVE

Featuring SRS (Smooth Ride Suspension)

The 4Front® is a front-wheel drive power chair that features automotive-grade suspension with unprecedented comfort and ride quality.

SPECS

MAXIMUM SPEED: 6 mph (3.2 mph when elevated)

WEIGHT CAPACITY: 300 lbs.

TURNING RADIUS: 24.5"

POWER SEAT ELEVATION: Optional 10" Safe Seat Elevation

COLORS

* See website for a complete list of color options.



ELECTRIC BLUE

CHERRY BOMB

GREEN MACHINE

LEMON CRUSH

RASPBERRY BERET

EVOLUTION ORANGE

SUGAR PLUM

Q
QUANTUM®
#1 FOR REHAB POWER



Automotive-grade SRS (Smooth Ride Suspension)



LED front and rear fender lights
(front: white / rear: red)





Q6 EDGE® 2.0/2.0 X

MID-WHEEL DRIVE

SPECS

MAXIMUM SPEED: 6.25 mph (3.5 mph when elevated)


WEIGHT CAPACITY: 300 lbs.

TURNING RADIUS: 20.5"

POWER SEAT ELEVATION: Optional 12" iLevel®

COLORS

* See website for a complete list.



J4

MID-WHEEL DRIVE


SPECS

MAXIMUM SPEED: 5 mph

WEIGHT CAPACITY: 300 lbs.

TURNING RADIUS: 21"

COLORS



Q6 EDGE® Z

MID-WHEEL DRIVE

SPECS

MAXIMUM SPEED: 6 mph (3.5 mph when elevated)

WEIGHT CAPACITY: 300 lbs.

TURNING RADIUS: 19.75"

POWER SEAT ELEVATION: Optional 12" iLevel®

COLORS

* See website for a complete list.



J6

MID-WHEEL DRIVE


SPECS

MAXIMUM SPEED: 4 mph

WEIGHT CAPACITY: 300 lbs.

TURNING RADIUS: 22"

COLORS



Q6 EDGE® HD

BARIATRIC MID-WHEEL DRIVE

SPECS

MAXIMUM SPEED: 4.7 mph (3.5 mph when elevated)

WEIGHT CAPACITY: 450 lbs. (400 lbs. with iLevel®)

TURNING RADIUS: 19.75"

POWER SEAT ELEVATION: Optional 10" iLevel®

COLORS

* See website for a complete list.



RIVAL®

REAR-WHEEL DRIVE

SPECS

MAXIMUM SPEED: 6 mph (8 mph with high speed package)

WEIGHT CAPACITY: 300 lbs.

TURNING RADIUS: 35.75"

POWER SEAT ELEVATION: Optional 10" iLevel®

COLORS

* See website for a complete list.



Q1450

BARIATRIC FRONT-WHEEL DRIVE


SPECS

MAXIMUM SPEED: 4.5 mph

WEIGHT CAPACITY: 600 lbs.

TURNING RADIUS: 26.5"

COLORS



KOZMO® AND KOZMO® PORTABLE

PEDIATRIC REAR-WHEEL DRIVE

SPECS

MAXIMUM SPEED: 3.6 mph

WEIGHT CAPACITY: 200 lbs.

TURNING RADIUS: 25.45"

COLORS



TRU-Balance® 3 Power Adjustable Seat Lift with iLevel® technology

- Maximum weight capacity
of up to 300 lbs.
- Provides extra stability to ensure
maximum safety for transfers, reach,
and numerous other activities
of daily living
- Maximum speed of 4.5 mph while
elevated at 12" of lift on the Edge 3
- Seat-to-floor-height as low
as 17.5" on the Edge 3
- LED fender lights
included



POWER ARTICULATING FOOT PLATFORM

- Broad articulation range for
enhanced adjustment
- 450 lbs. weight capacity
- Unmatched adjustment, durability
and strength
- Multiple calf pads, calf panel and
footplate options

TRU-BALANCE® 3

POWER POSITIONING SYSTEMS

FEATURES

- Fine adjustments can be made even while client is in the chair
- Seat width can be ordered independently of the back width
at no additional charge
- Power tilt, power recline, and iLevel® are retrofittable

POWER RECLINE

85° - 175° of recline	Available in 20 back shroud colors
300 lbs. weight capacity	No increase in seat-to-floor height
Available with power tilt and power adjustable seat lift	Standard shear reduction and cantilever armrests

POWER TILT

50° of tilt	Available in 20 back shroud colors
Lower seat-to-floor height	Maintains center of gravity shift
Unmatched adjustment and durability	

HEAVY DUTY POWER TILT & RECLINE

450 lbs. weight capacity	Available in 5 back shroud colors
Up to 50° of tilt	85° - 175° of recline

TRU-Balance® 3 Power Recline



TRU-Balance® 3 Power Tilt



TRU-Balance® 3 Heavy Duty Power Tilt and Recline





"I'M ABLE TO ELEVATE TO EVERYONE'S HEIGHT WITH iLEVEL. I FEEL MORE INCLUDED."

MORGAN STEWARD
COVINGTON, GA

Quantum® pediatric seating with optional
iLevel® 12" power seat elevation

SEATING AND POSITIONING



TRU-BALANCE® FLEX SEATING

No-charge static seat for the Edge 3 Stretto®, Edge® 3, Q6 Edge® 2.0, J4 and Rival®

Easily adjustable, versatile design that can grow with the user

Same ease of width and depth adjustment as TRU-Balance® 3

Seat sizes 15"-22" wide and 15"-20" deep



SYNERGY® SEATING

Easily adjustable, this versatile design can grow with the user

Several width/depth adjustment packages ranging from 10" to 32"

Accepts a wide variety of after-market seats and backs

Heavy duty option provides a weight capacity of 600 lbs. and seating up to 32" x 28" (model specific)



CONTOURED SEATING

Black vinyl captain's seat with optional armrests

Compatible with TRU-Balance 3 power articulating foot platform

Available in high back, medium back, solid seat pan, limited recline, and depth-adjustable

TRU-Balance® Flex
Seating



Synergy® Seating



Contoured Seating





30+ UPF



Dry



Chemical Free



Breathable Comfort

"While the other makers of cooling fabrics use a number of chemicals to enhance wicking, transportation and evaporation, Coolcore fabrics are chemical free. To make that possible, we changed the essence of cooling fabric technology right down to its very core."

COOLCORE®

STEALTH PRODUCTS®

CUSHIONS


Stealth Products® Cushions feature patented Coolcore® technology, a chemical free, four-way stretch material that offers moisture wicking, moisture transportation, and moisture evaporation properties. Our cushions also use a color guide that identifies the suggested HCPC code and function family by a unique patch.

FEATURES

- Chemical free
- Regulates temperature
- Manages and distributes your body heat
- Ships out within 2 days on or off chair



Convenient built-in side/front pouches












Constructed with FRG Sunmate flame-retardant material



Easy-pull rubber loop zipper handles





	Simplicity G	Glacial SP	Zen SP	Premiere P	Spectrum® Foam/Gel SPP	Solution® SPP	TRU-Comfort 2 SPP	Essence SPP
DESCRIPTION ¹	 High-density foam Stealth-Tek cover standard More contour to sacral/coccyx relief well	 New SIM G base, fluid resistant overlay, top and sides TPU heat-sealed, low profile, lightweight cooling gel topper	 New SIM G base, SunMate FRG XXSoft (blue topper), low profile, lightweight	 Gray X-Soft SunMate FRG foam topper, high density positioning wedges built in for offloading.	 SunMate FRG foam top (SunMate FRG XXSoft (blue); Medsoft (green)) with multi-layered foam insert or twin cell ultra-lightweight viscous gel insert in ischial well, sacral relief	 Standard viscoelastic foam top with twin cell aqueous viscous gel (heavier gel) insert in ischial well, mid-level contour	 Multi-layered foam Deep contour, CoolCore® cushion cover has “pockets” on sides	 Low profile Tru-Comfort 2, lateral and pre-ischial shelf Contoured, HD molded foam base, coccyx and sacral relief
WEIGHT CAPACITY	400 lbs.	400 lbs.	400 lbs.	500 lbs.	Foam: 650 lbs. Gel: 550 lbs.	500 lbs.	450 lbs.	450 lbs.
OVERALL WEIGHT	2 lbs.	3.5 lbs.	2.5 lbs.	3.5 lbs.	Foam: 3 lbs. Gel: 3.5 lbs.	5.4 lbs.	4 lbs.	3.5 - 5 lbs.
HEIGHT	2”	2.5”	3”	3.5”	3”	3”	4.5”	3.5”
DIMENSIONS ²	10x10” up to 24x24” Odd sizes up to 21” SOF available	10x10” up to 24x24” Odd sizes from 15” up to 21” NO SOF	10x10” up to 24x24” Odd sizes available SOF available	14x13” up to 22x22” Odd sizes available SOF available	Foam: 14x18” up to 32x28” Gel: 14x18” up to 24x26” Odd sizes in 17” and 19” SOF available	10x10” up to 24x24” Odd sizes in 17” and 19” SOF available	14x14” up to 24x24” Odd sizes in 17” and 19” SOF available	15x15” up to 22x24” Odd sizes in 15” SOF available
MSRP	\$110 - \$165	\$330 - \$440	\$315 - \$425	\$325 - \$475	\$460 - \$530 (\$590 for Spectrum Foam SPP larger than 24”)	\$375 - \$430	\$400 - \$500	\$440 - \$595
HCPCS	E2601/E2602	E2603/E2604	E2603/E2604	E2605/E2606	E2607/E2608	E2607/E2608	E2607/E2608	E2607/E2608
ALLOWANCES ³	\$61.24 / \$119.55	\$151.77 / \$188.66	\$151.77 / \$188.66	\$269.53 / \$420.48	\$290.23 / \$348.54	\$290.23 / \$348.54	\$290.23 / \$348.54	\$290.23 / \$348.54

1) CoolCore® is standard on all cushions except the Simplicity G.
2) Special order sizes available for all cushions except the Glacial SP. Contact sales for additional assistance.
3) Allowances listed are estimations for cushions billed in conjunction with Group 3 bases using the KU modifier and may vary by state.

DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement. HCPCS codes provided should not be considered as legal advice and do not guarantee reimbursement. Payer coding, coverage, and bundling guidelines may apply.



Stealth® ADI Q-Back 2.0

The Stealth® ADI Q-Back 2.0 is available on Quantum® TRU-Balance® 3 Seating Systems and mounts directly to any back with a TRU-Balance® 3 spine.

FEATURES

- 450 lb. weight capacity
- CoolCore® front cover and Sunmate FRG foam
- Coded E2613, E2620/E2621, and E0956 (laterals)
- Widths: 14"-22"
- Heights: 14"-22"

AVAILABLE CONFIGURATIONS:

- 2.5" Active Contour ADI Q-Back 2.0
- 4" Deep Contour (contour supports) ADI Q-Back 2.0
- 4" Extra Deep Contour (lateral contours) ADI Q-Back 2.0
- 6" Extra Deep Contour (lateral contours) ADI Q-Back 2.0

UniLink™ Hardware System

- New system from Stealth Products® for mounting thigh guides and elbow blocks onto the TRU-Balance® 3 Seating System
- Elbow blocks in 3"x10", 3"x3", and 4"x4" pad sizes are made with patented Coolcore® technology cover material
- Thigh guides are available in 4"x4", 4"x8", and 4"x12" pad sizes

THIGH GUIDE OPTIONS





"MY EDGE 3 GIVES ME THE OPPORTUNITY TO USE ADVANCED TECHNOLOGY THAT GIVES ME SO MUCH INDEPENDENCE."

ZOE HERNANDEZ

FEATURING
Bluetooth®

Q-LOGIC 3

ADVANCED DRIVE CONTROLS

The Q-Logic 3 Advanced Drive Controls System from Quantum Rehab® is like no other power wheelchair electronics system. Designed from clinician and consumer feedback, Q-Logic 3 is user-friendly and highly customizable.

FEATURES

- Wireless Bluetooth® programming through Windows devices
- Bluetooth access to computer, tablet, and phone functions
- iAccess programmable push button and toggle options for customized seating access
- Clinic Mode:
 - Quickly set up multiple input devices in client evaluations
 - Automatically assigned drive modes to input devices



Q-Logic 3
home screen



Q-Logic 3
drive screen

ENHANCED DISPLAY

The optional Q-Logic 3 EX Enhanced Display serves as a separate screen used with specialty drive controls to display system data. With the Enhanced Display's built-in environmental controls, Q-Logic 3 can operate a wide range of appliances that use infrared (IR) remote controls, such as televisions, and serves as a Bluetooth® computer mouse emulator.



Q-LOGIC 3 EX
ENHANCED DISPLAY



Q-LOGIC 3 EX
JOYSTICK CONTROLLER



Q-LOGIC 3e
JOYSTICK
CONTROLLER

Q-Logic 3 iAccess
Programmable Switchbox



Q-Logic 3 Stand
Alone Joystick



Q-Logic 3 Specialty Controls
Interface Module



NON-EXPANDABLE

JOYSTICK OPTIONS

SIP-N-PUFF

MULTI-SWITCH



Q-Logic NE and NE+



Stealth® i-Drive®
Sip-N-Puff



Stealth® i-Drive® 4 Stealth Pro,
3-Switch Head Array



Stealth® i-Drive® Tri-Array,
3-Switch Head Array



Stealth® i-Drive®
Curved Array

EXPANDABLE (Q-LOGIC 3)

SINGLE SWITCH

TRAY ARRAYS



Q-Logic 3 EX
Joystick



Q-Logic 3e
Joystick



Q-Logic 3 EX
Enhanced Display



Q-Logic 3
Stand Alone
Joystick



Q-Logic 3 iAccess
Programmable
Switchbox



Q-Logic 3
Specialty Interface
Module



Stealth®
Egg Switch



Mo-Vis™
Twister Basic
Button



Mo-Vis™
Twister Satellite
Button



Stealth® i-Drive®
Eclipse Tray with
Four Capacitive
Proximity Sensors



Stealth® i-Drive®
Eclipse Tray with
Four Fiber Optic
Proximity Sensors

PROPORTIONAL DRIVE CONTROLS

MISC. ACCESSORIES



Mo-Vis™
All-Round
Joystick



Mo-Vis™
All-Round Light
Joystick



Mo-Vis™
Multi Joystick



Stealth® i-Drive®
Control Harness



Stealth® Precision
Mini Proportional
Joystick



Stealth®
Mushroom
Joystick



Mo-Vis™
Micro Joystick



Front and Rear
LED Fender Lights



Hydration System



Transfer Bars (Pair)



Backup Camera



Personal Item Hook



Phone Holder



Rearview Mirror



Glove Box

Some Kozmo® Series colors not shown. See [quantumrehab.com](https://www.quantumrehab.com) for all available colors.

COLOR OPTIONS



SUGAR PLUM
PPW-PRP-07
Available on Stretto, Edge® 3
and 4Front®



RED CORVETTE
PPW-RED-01
Available on all Quantum® bases



CHERRY BOMB (MATTE)
PPW-RED-04
Available on Stretto, Edge® 3
and 4Front®



EVOLUTION ORANGE
PPW-ORN-07
Not available on Kozmo® or J4



LEMON CRUSH
PPW-YEL-04
Available on Stretto, Edge® 3/2.0/2.0X
and 4Front®



GREEN MACHINE
PPW-GRN-11
Available on Stretto,
Edge® 3/2.0/2.0X/Z/HD,
4Front® and Rival®



RASPBERRY BERET
PPW-PNK-04
Available on Stretto, Edge® 3
and 4Front®



PRETTY IN PINK
PPW-PNK-03
Not available on J4



DEEP PURPLE
PPW-PRP-05
Available on Stretto,
Edge® 3/2.0/2.0X/Z/HD,
4Front® and Rival®



ELECTRIC BLUE
PPW-BLU-09
Available on all Quantum® bases



BLUE JEAN (MATTE)
PPW-BLU-11
Available on Stretto, Edge® 3
and 4Front®



MIDNIGHT BLUE
PPW-BLU-10
Available on Stretto,
Edge® 3/2.0/2.0X/Z/HD,
4Front® and Rival®




GREY STREET
PPW-SIL-03
Available on Stretto,
Edge® 3/2.0/2.0X/Z/HD,
4Front® and Rival®



BACK IN BLACK
PPW-BLK-01
Not available on Kozmo®



WHITE SATIN
PPW-WHT-02
Available on Stretto, Edge® 3/2.0/2.0X
and 4Front®



CARBON FIBER
HYDROGRAPHICS
Available on Edge® 3



NIGHT TRAIN (MATTE)
PPW-BLK-03
Available on Stretto,
Edge® 3/2.0/2.0X/Z/HD,
4Front® and Rival®




MILITARY GREEN (MATTE)
PPW-GRN-08
Available on Stretto, Edge® 3/2.0/2.0X
and 4Front®



MILITARY DIGITAL CAMO
HYDROGRAPHICS
Available on Stretto, Edge® 3
and 4Front®



FADED GLORY
HYDROGRAPHICS
Available on Stretto, Edge® 3
and 4Front®



INTERACTIVE ASSIST

Reduce service visits with our latest innovative app.

- SCREEN MIRRORING
- REAL-TIME MONITORING
- EFFICIENCY IMPROVEMENTS
- TROUBLESHOOTING
- BATTERY MANAGEMENT
- DIAGNOSTIC HISTORY
- BASIC PROGRAMMING
- REMOTE ACCESS
- CHANGE LOG HISTORY
- SAVING XPA FILES
- MOTOR USAGE HISTORY
- TEXT CHATTING
- PROGRAMMING IR MENU
- ACCESS TO BLUETOOTH FEATURES
- DEALER-TO-DEALER PROGRAMMING ACCESS

Q-Logic 3 now features Interactive Assist. Interactive Assist from Quantum Rehab® is an app which provides a direct real-time connection from a power chair's electronics to a provider's programming station. The connection provides the technician with full system and diagnostics information along with tools, such as a real-time mirror image of the power chair's electronics display, to eliminate wasteful trips.



Download Interactive Assist today!

PQ-365

All Quantum® and Pride® product information combined into one app!



SERIAL NUMBER AND ORDER SEARCH



VOICE SEARCH



ZOOM FEATURE FOR PRODUCT IMAGES



COACHING FEATURE



Download PQ-365 today!

ECON-I

Convenience at your fingertips!

The Econ-I app is now available for download on Apple® iPhone® devices, allowing you to program Quantum® Power Chairs conveniently from your iPhone or iPad. Compatible devices include the iPhone 6S/6s Plus/SE or higher, and the iPad Air/iPad Mini 2/iPad Pro/iPad 5th generation or higher. All devices must support iOS version 12 or higher.



Download ECON-I today!



ILLUSTRATED PARTS BREAKDOWNS



IMAGE SEND OPTION

SERVICE

AND SUPPORT

SALES SUPPORT 866.800.2002

Quantum Sales Support assists with design, ordering, pricing and quality assurance.

CUSTOM GROUP 877.465.2999

The Quantum Custom Group provides innovative custom solutions and specialized product modifications.

TECHNICAL SUPPORT EXT. 5200



Quantum Technical Support offers assistance with troubleshooting and parts order placement.

PRODUCT PLANNING & REIMBURSEMENT

Assistance with understanding Medicare codes and coverage criteria, product planning, provision guidelines, claims coding, pre-screens and assistance in regard to high-end rehab clients.


SET TO SPEC SERVICE

Set to Spec Service from Quantum Rehab® is designed to assist you in delivering Q6 Series Power Chairs to your clients. We will pre-set, to your specifications, seat-to-floor heights, seating center of gravity, armrest heights, front riggings, thoracic and/or thigh laterals.



QUANTUMREHAB.COM

Quantum's official website is the ultimate source for everything you need to know about Quantum® products. Highlights include detailed product specifications, order forms, videos, user testimonials and much more.




LIFEATiLEVEL.COM

Learn about the real life adventures and achievements of iLevel® users or share your own. The site features biographies, videos, and a blog.



SOCIAL MEDIA

Stay up to date on the latest Quantum® events and product releases through Twitter, Facebook, YouTube, and Instagram.



CLINICAL RESOURCES

The Clinical Resources section of the Quantum website is specifically tailored to clinicians' needs, featuring order forms, clinical references, and reimbursement information.



STEALTHPRODUCTS.COM

Stealth Products® launched in 1999, in response to a need for versatile, high-quality head and neck positioning systems, as well as switch site location hardware. Their products include: head and body support/positioning, joystick mounts, trays, seating, cushions, and pediatric mobility products.

- 1) Standard
- 2) Optional
- 3) Requires HD Suspension
- 4) Speed varies with user weight, terrain type, battery charge, battery condition and tire pressure.
- 5) Without front riggings
- 6) Battery capacity may change when adding power positioning systems.
- 7) Weight capacity is dictated by the selection of seating.
- 8) All measurements +/- 1/8" with 18" x 18" seat, fixed towers, 300 lbs. weight capacity and solid tires (add 3/8" with pneumatic tires). Depths may increase seat-to-floor height. Contact Customer Service for details. Listed measurements are in the lowest position; does not include elevating system unless specified.
- 9) 250 lbs. weight capacity with TRU-Balance®
- 10) A minimum seating size of 20" x 20" is required with iLevel® on the Q6 Edge® HD; maximum seating size is 24" x 25"
- 11) Without foot riggings
- 12) All Quantum units can be ordered with specialty controls
- 13) 6.25 mph speed only with Q-Logic 3.
- 14) Battery weight may vary +/- 3 lbs. based on manufacturer.
- 15) Weight capacity is reduced to 400 lbs. with iLevel® power adjustable seat height
- 16) Seat-to-floor heights are measured with the unit unloaded. Due to the 4Front's suspension system, seat-to-floor heights are approximately 0.25" lower when the unit is loaded.
- 17) 7 mph can only be achieved with optional 4-pole motors and Q-Logic 3 or Q-Logic 3e. Maximum speed without 4-pole motors is 6.25 mph with Q-Logic 3.

HCPCS codes provided should not be considered as legal advice and do not guarantee reimbursement. DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement. The information contained herein is correct at the time of publication. We reserve the right to alter specifications without prior notice.

AVAILABLE WITH
12" iLEVEL® AT 3.5 MPH



AVAILABLE WITH
12" iLEVEL® AT 4.5 MPH



AVAILABLE
WITH 12" iLEVEL®



AVAILABLE
WITH 10" ELEVATION



AVAILABLE
WITH 12" iLEVEL®



AVAILABLE
WITH 12" iLEVEL®



	EDGE 3 STRETTO®	EDGE® 3	Q6 EDGE® 2.0	4FRONT®	Q6 EDGE® 2.0 X	Q6 EDGE® Z
DRIVE CONFIGURATION	Mid-wheel Drive	Mid-wheel Drive	Mid-wheel Drive	Front-wheel Drive	Mid-wheel Drive	Mid-wheel Drive
DRIVE WHEELS	14" or 12.5" pneumatic or flat free tires	14" Solid Optional: 14" Pneumatic; 14" Knobby	14" Solid Optional: 14" Pneumatic; 14" Knobby	14" Flat Free Optional: 14" Pneumatic; 14" Knobby	14" Solid Optional: 14" Pneumatic; 14" Knobby	14" Run Flat Optional: 14" Pneumatic; 14" Knobby
CASTER WHEELS	Front: 5" flat free Rear: 6" flat free	Front: 6" Solid Rear: 6" Solid	Front: 6" Solid Rear: 6" Solid	Rear: 9" Flat Free	Front: 6" Solid Rear: 6" Solid	Front: 6" Solid Rear: 6" Solid
ANTI-TIP WHEELS	N/A	N/A	N/A	Front: 4"	N/A	N/A
MAXIMUM SPEED ⁴	Up to 6.25 mph (3.5 mph with iLevel) ¹³	Up to 7 mph (4.5 mph with iLevel) ^{13,17}	Up to 6.25 mph ¹³	Up to 6 mph	Up to 6.25 mph ¹³	Up to 6 mph (Optional: 8 mph)
GROUND CLEARANCE	2.9"	2.7" (battery tray)	2.7" (battery tray)	3" (motor pivot)	2.7" (battery tray)	3" (frame base)
TURNING RADIUS ⁵	21"	20.5"	20.5"	24.5"	20.5"	19.75"
OVERALL LENGTH ¹¹	32.5"	32.23"	32.23"	40"	32.23"	35.6"
BASE WIDTH	21.75" (14" drive wheels) 20.47" (12.5" drive wheels)	24.4"	24.4"	24"	24.4"	26.25"
Seating Sizes:						
SYNERGY®	N/A	W: 10-22" D: 10-22"	W: 10-22" D: 10-22"	N/A	W: 10-22" D: 10-22"	W: 10-24" D: 10-24"
TRU-BALANCE® 3 STATIC	W: 12-20" D: 12-20"	W: 10-22" D: 10-22"	W: 10-22" D: 10-22"	W: 12-22" D: 12-22"	W: 10-22" D: 10-22"	W: 12-24" D: 12-24"
TRU-BALANCE® 3 POWER TILT	W: 12-20" D: 12-20"	W: 12-22" D: 12-22"	W: 12-22" D: 12-22"	W: 12-22" D: 12-22"	W: 12-22" D: 12-22"	W: 12-24" D: 14-24"
TRU-BALANCE® 3 LIFT & TILT	W: 12-20" D: 12-20"	W: 12-22" D: 12-22"	W: 12-22" D: 12-22"	W: 12-22" D: 12-22"	W: 12-22" D: 14-22"	W: 12-24" D: 12-24"
TRU-BALANCE® 3 HD STATIC	N/A	N/A	N/A	N/A	N/A	N/A
TRU-BALANCE® 3 HD POWER TILT	N/A	N/A	N/A	N/A	N/A	N/A
TRU-BALANCE® 3 HD LIFT & TILT	N/A	N/A	N/A	N/A	N/A	N/A
TRU-BALANCE® 2 HD STATIC	N/A	N/A	N/A	N/A	N/A	N/A
TRU-BALANCE® 2 HD POWER TILT	N/A	N/A	N/A	N/A	N/A	N/A
TRU-BALANCE® FLEX SEAT	W: 15-20" D: 15-20"	W: 15-22" D: 15-20"	W: 15-22" D: 15-20"	N/A	N/A	N/A
KOZMO® PEDIATRIC STATIC SEAT	N/A	N/A	N/A	N/A	N/A	N/A
Q4 POWER TILT	N/A	N/A	N/A	N/A	N/A	N/A
Seat-to-Floor Heights ^{13,16} :						
SYNERGY® / STATIC ⁸	16"-18" (Static only)	Synergy®: 15.875 - 20.875"; Static: 16.5 - 18.5"	15.875 - 17.875"	15.25-17.25" <small>NOT AVAILABLE WITH SYNERGY®</small>	15.875 - 17.875"	16.5-18.5"
POWER TILT ⁸	17.5-19.5"	17.5 - 19.5"	17.5-19.5"	17.5 -19.5"	17.5-19.5"	18.5 - 20.5"
LIFT & TILT ⁸	17.5-19.5"	17.5 - 19.5"	17.5-19.5"	17.75-19.75"	17.5-19.5"	18.5 - 20.5"
TRU-BALANCE® FLEX SEAT ⁸	16.5-18.25"	16.5" - 18.25"	16.5 - 18.25"	N/A	N/A	N/A
KOZMO® PEDIATRIC STATIC SEAT ⁸	N/A	N/A	N/A	N/A	N/A	N/A
Q4 POWER TILT	N/A	N/A	N/A	N/A	N/A	N/A
BATTERY SIZE ⁶	40AH (2) or NF-22 (2)	NF-22 (2)	NF-22	Group 24 or Group 34	NF-22	Group 24
BATTERY WEIGHT ¹⁴	40 AH: 31 lbs. each 55 AH: 40 lbs. each	38 lbs. each	38 lbs.	Group 24: 51.5 lbs. Group 34: 38.5 lbs.	38 lbs.	52 lbs. each
AVAILABLE ELECTRONICS ¹²	120A Q-Logic 3 EX 120A Q-Logic 3e 75A Q-Logic NE 75A Q-Logic NE+	120A Q-Logic 3 EX 120A Q-Logic 3e 75A Q-Logic NE 75A Q-Logic NE+	120A Q-Logic 3 EX 120A Q-Logic 3e 75A Q-Logic NE 75A Q-Logic NE+	120A Q-Logic 3 EX 120A Q-Logic 3e	120A Q-Logic 3 EX 120A Q-Logic 3e	120A Q-Logic 3 EX 120A Q-Logic 3e 75A Q-Logic NE 75A Q-Logic NE+
BATTERY CHARGER	8A Off-board	8A Off-board	8A Off-board	8A Off-board	8A Off-board	8A Off-board
MOTOR PACKAGES	2-pole Mid-Wheel 6®	Standard: 2-pole Mid-Wheel 6® Optional: 4-pole Mid-Wheel 6®	2-pole Mid-Wheel 6®	2-pole, front-wheel drive	2-pole Mid-Wheel 6®	4-pole Mid-Wheel 6®
WEIGHT CAPACITY ⁷	300 lbs.	300 lbs.	300 lbs.	300 lbs.	300 lbs.	300 lbs.
BASE WEIGHT	126.4 lbs.	138.6 lbs.	138.6 lbs.	140 lbs.	138.6 lbs.	143.5 lbs.
HCPCS CODES – For more information on HCPCS code coverage, please consult our Product Planning & Reimbursement Center.						
	Group 3: Standard (K0848/K0849), Single Power (K0856/K0857), Multiple Power (K0861)	Group 3: Standard (K0848/K0849), Single Power (K0856/K0857), Multiple Power (K0861)	Group 3: Standard (K0848/K0849), Single Power (K0856/K0857), Multiple Power (K0861)	Group 3: Standard (K0848/K0849), Single Power (K0856), Multiple Power (K0861)	Group 3: Standard (K0848/K0849), Single Power (K0856), Multiple Power (K0861)	Group 3: Standard (K0848/K0849), Single Power (K0856), Multiple Power (K0861)

ALSO AVAILABLE:
KOZMO® PORTABLE



AVAILABLE
WITH 10" HD iLEVEL®



- 1) Standard
- 2) Optional
- 3) Requires HD Suspension
- 4) Speed varies with user weight, terrain type, battery charge, battery condition and tire pressure.
- 5) Without front riggings
- 6) Battery capacity may change when adding power positioning systems.
- 7) Weight capacity is dictated by the selection of seating.
- 8) All measurements +/- 1/8" with 18" x 18" seat, fixed towers, 300 lbs. weight capacity and solid tires (add 3/8" with pneumatic tires). Depths may increase seat-to-floor height. Contact Customer Service for details. Listed measurements are in the lowest position; does not include elevating system unless specified.
- 9) 250 lbs. weight capacity with TRU-Balance®
- 10) A minimum seating size of 20" x 20" is required with iLevel® on the Q6 Edge® HD; maximum seating size is 24" x 25"
- 11) Without foot riggings
- 12) All Quantum units can be ordered with specialty controls
- 13) 6.25 mph speed only with Q-Logic 3.
- 14) Battery weight may vary +/- 3 lbs. based on manufacturer.
- 15) Weight capacity is reduced to 400 lbs. with iLevel® power adjustable seat height
- 16) Seat-to-floor heights are measured with the unit unloaded. Due to the 4Front's suspension system, seat-to-floor heights are approximately 0.25" lower when the unit is loaded.
- 17) 7 mph can only be achieved with optional 4-pole motors and Q-Logic 3 or Q-Logic 3e. Maximum speed without 4-pole motors is 6.25 mph with Q-Logic 3.

HCPCS codes provided should not be considered as legal advice and do not guarantee reimbursement. DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement. The information contained herein is correct at the time of publication. We reserve the right to alter specifications without prior notice.

	KOZMO®	Q6 EDGE® HD	QUANTUM® RIVAL®	J4	J6	QUANTUM® 1450
DRIVE CONFIGURATION	Rear-wheel Drive	Mid-wheel Drive	Rear-wheel Drive	Mid-wheel Drive	Mid-wheel Drive	Front-wheel Drive
DRIVE WHEELS	9" Solid	14" Run Flat Optional: 14" Pneumatic; 14" Knobby	14" Solid Optional: 14" Pneumatic; 14" Knobby	14" Flat Free	10" Solid Optional: 10" Pneumatic	14" Solid
CASTER WHEELS	Front: 6" Solid	Front: 6" Solid Rear: 6" Solid	Front: 9" Pneumatic	Front: 6" Solid Rear: 6" Solid	Front: 5" Solid Rear: 6" Solid	9" Solid
ANTI-TIP WHEELS	3" Solid	N/A	N/A	N/A	N/A	4" Solid
MAXIMUM SPEED ⁴	Up to 3.6 mph	Up to 4.7 mph	Up to 6 mph (Optional: 8 mph)	Up to 5 mph	Up to 4 mph	Up to 4.5 mph
GROUND CLEARANCE	1.6" at anti-tip bracket	3" (frame center)	3.25" (frame motor)	2.9" (battery tray)	2.5" (frame)	1.5" (anti-tip wheels)
TURNING RADIUS ⁵	25.45" with foot platform	19.75"	35.75"	21"	22"	26.5"
OVERALL LENGTH ¹¹	33.09" with foot platform	35.6"	36" with front riggings	32.3"	34.74"	38.25"
BASE WIDTH	22.6"	26.25"	29.6"	24.5"	23.19"	29.25"
Seating Sizes:						
SYNERGY®	N/A	W: 20-32" D: 20-28"	W: 12-22" D: 12-22"	N/A	W: 10-20" D: 10-20"	W: 20-32" D: 20-28"
TRU-BALANCE® 3 STATIC	N/A	N/A	W: 12-22" D: 12-22"	N/A	W: 10-20" D: 10-20"	N/A
TRU-BALANCE® 3 POWER TILT	N/A	N/A	W: 12-22" ³ D: 12-22" ³	N/A	W: 14-20" D: 14-20"	N/A
TRU-BALANCE® 3 LIFT & TILT	N/A	N/A	W: 12-22" ³ D: 12-22" ³	N/A	N/A	N/A
TRU-BALANCE® 3 HD STATIC	N/A	W: 20-32" D: 20-28"	N/A	N/A	N/A	N/A
TRU-BALANCE® 3 HD POWER TILT	N/A	W: 20-32" D: 20-25"	N/A	N/A	N/A	N/A
TRU-BALANCE® 3 HD LIFT & TILT	N/A	W: 20-24" D: 20-25" ¹⁰	N/A	N/A	N/A	N/A
TRU-BALANCE® 2 HD STATIC	N/A	N/A	N/A	N/A	N/A	W: 20-32" D: 20-28"
TRU-BALANCE® 2 HD POWER TILT	N/A	N/A	N/A	N/A	N/A	W: 20-32" D: 20-28"
TRU-BALANCE® FLEX SEAT	N/A	N/A	W: 15-22" D: 15-20"	N/A	N/A	N/A
KOZMO® PEDIATRIC STATIC SEAT	W: 12-16" D: 12-16"	N/A	N/A	N/A	N/A	N/A
Q4 POWER TILT	N/A	N/A	N/A	W: 16-20" D: 16-22"	N/A	N/A
Seat-to-Floor Heights ^{13,16} :						
SYNERGY® / STATIC ⁸	N/A	16.5 - 18.5"	Static: 16.5 - 18.1"; Synergy®: 15.875 - 17.875"	N/A	Synergy®: 15.75-17.5"; Static: 16.75"	16.5-18.5"
POWER TILT ⁸	N/A	18.5-20.5"	18 -19.6"	N/A	16.75"	19.5 - 20.5"
LIFT & TILT ⁸	N/A	18.5 - 20.5"	18.5 -20.1"	N/A	N/A	N/A
TRU-BALANCE® FLEX SEAT ⁸	N/A	N/A	16.5 -18.1"	N/A	N/A	N/A
KOZMO® PEDIATRIC STATIC SEAT ⁸	15.75-16.75"	N/A	N/A	N/A	N/A	N/A
Q4 POWER TILT	N/A	N/A	N/A	17.25-19.25"	N/A	N/A
BATTERY SIZE ⁶	(2) 18A, 12 V, deep cycle	Group 24	Group 24	NF-22	U-1	Group 24
BATTERY WEIGHT ¹⁴	31 lbs.	52 lbs.	51 lbs.	38 lbs.	23.4 lbs.	52 lbs.
AVAILABLE ELECTRONICS ¹²	40A, PG GC3 (non-programmable)	120A Q-Logic 3 EX 120A Q-Logic 3e 75A Q-Logic NE 75A Q-Logic NE+	75A Q-Logic NE 75A Q-Logic NE+ 100A Q-Logic 2 EX	75A Q-Logic NE 75A Q-Logic NE+	70A Q-Logic 2 EX 70A Q-Logic NE 70A Q-Logic NE+	120A Q-Logic 3 EX 120A Q-Logic 3e 90A VR2 6-key
BATTERY CHARGER	3.5A Off-board	8A Off-board	8A Off-board	8A Off-board	5A Off-board	8A Off-board
MOTOR PACKAGES	Two-motor, rear-wheel drive	4-pole 4.7 mph ¹	4-pole 6 mph ¹ or 4-pole 8 mph ²	Two-motor, Mid-Wheel 6®	2-pole 4 mph	4-pole 4.5 mph
WEIGHT CAPACITY ⁷	200 lbs.	450 lbs. ¹⁵	300 lbs.	300 lbs.	300 lbs. ⁹	600 lbs.
BASE WEIGHT	67 lbs.	143.5 lbs.	129 lbs.	131.6 lbs.	100.2 lbs.	195 lbs.
HCPCS CODES – For more information on HCPCS code coverage, please consult our Product Planning & Reimbursement Center.						
	KOZMO®: Group 2: Standard (K0822)	Group 3: Heavy Duty (K0850/K0851), Single Power HD (K0858), Multiple Power HD (K0862)	Group 3: Standard (K0848/K0849), Single Power (K0856), Multiple Power (K0861)	Group 2: Standard (K0822/K0823), Single Power (K0835)	Group 2: Standard (K0822/K0823), Single Power (K0835)	Group 3: Very Heavy Duty (K0852/K0853), Single Power Very HD (K0860),
	KOZMO® PORTABLE: Group 2: Standard (K0820)					

quantumrehab.com •
The information contained herein is correct at the time of publication.
We reserve the right to alter specifications without prior notice.



lifeatlevel.com
(US) 866-800-2002 • (Canada) 888-570-1113



1 F O R R E H A B P O W E R